

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** PALL-X EXTREME Comp. A
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**  
 SU19 Building and construction work  
 SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
 For professional use only.
- **Product category** PC9a Coatings and paints, thinners, paint removers
- **Application of the substance / the preparation**  
 Water-based 1- and 2-component wood flooring laquer (component A)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 JP Coatings GmbH  
 Im Kreuz 6  
 D-97076 Würzburg  
 Tel. +49 (0)931-27964-0  
 Fax +49 (0)931-27964-50
- **Further information obtainable from:**  
 Products Development Lab  
 E-Mail: msds.info@uzin-utz.com
- **Emergency telephone number:**  
 Medical emergencies: +49 30 30 686 790  
 Transportation emergencies: +49 621 60 43 333

### 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
 The product is not classified according to the CLP regulation.

---

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
- **Information concerning particular hazards for human and environment:**  
 The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

---

- **Additional information:** Also observe the safety data sheet of component B.

---

- **Label elements**
- **Labelling according to EU guidelines:**  
 The product is not subject to the labelling requirements under EU Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparations).  
 Observe the general safety regulations when handling chemicals.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

**Trade name: PALL-X EXTREME Comp. A**

(Contd. of page 1)

· <b>Dangerous components:</b>		
CAS: 34590-94-8 EINECS: 252-104-2	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	1 - <5%
CAS: 5131-66-8 EINECS: 225-878-4	3-butoxypropan-2-ol Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	1 - <5%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
Also observe the safety data sheet of component B.

#### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub> powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

#### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

#### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Avoid contact with the eyes and skin.  
Wash hands before breaks and at the end of work.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

Trade name: **PALL-X EXTREME Comp. A**

(Contd. of page 2)

- **Further information about storage conditions:** Protect from frost.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**34590-94-8 (2-methoxymethylethoxy)propanol**

WEL	Long-term value: 308 mg/m <sup>3</sup> , 50 ppm
Sk	

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Avoid contact with the eyes and skin.  
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

- **Material of gloves**  
Butyl rubber, BR  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.5$  mm
- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	White
Odour:	Weak, characteristic
Odour threshold:	Not determined.
- **pH-value at 20°C:** 8.3
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
- **Flash point:**  $> 100^{\circ}\text{C}$
- **Ignition temperature:**  $> 200^{\circ}\text{C}$
- **Decomposition temperature:** Not determined.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

Trade name: **PALL-X EXTREME Comp. A**

(Contd. of page 3)

· <b>Self-igniting:</b>	<i>Product is not selfigniting.</i>
· <b>Danger of explosion:</b>	<i>Product does not present an explosion hazard.</i>
· <b>Explosion limits:</b>	
<b>Lower:</b>	<i>Not determined.</i>
<b>Upper:</b>	<i>Not determined.</i>
· <b>Vapour pressure:</b>	<i>Not determined.</i>
· <b>Density at 20°C:</b>	<i>1.02 g/cm<sup>3</sup></i>
· <b>Relative density</b>	<i>Not determined.</i>
· <b>Vapour density</b>	<i>Not determined.</i>
· <b>Evaporation rate</b>	<i>Not determined.</i>
· <b>Solubility in / Miscibility with water:</b>	<i>Fully miscible.</i>
· <b>Partition coefficient (n-octanol/water):</b>	<i>Not determined.</i>
· <b>Viscosity:</b>	
<b>Dynamic:</b>	<i>Not determined.</i>
<b>Kinematic at 20°C:</b>	<i>24 s (DIN 53211/4)</i>
· <b>Other information</b>	<i>No further relevant information available.</i>

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *No irritant effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**  
*The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.*  
*When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.*

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*

(Contd. on page 5)

-GB-

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

Trade name: **PALL-X EXTREME Comp. A**

(Contd. of page 4)

- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Do not allow product to reach sewage system.  
Disposal should be in accordance with local, state or national legislation.  
Absorb smaller quantities with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust), allow to harden, then dispose of as construction waste.  
Dispose of bigger amounts in accordance with Local Authority requirements.
- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

- |  |  |
|--|--|
| · <b>UN-Number</b>   |  |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void   |
| · <b>UN proper shipping name</b>   |  |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void   |
| · <b>Transport hazard class(es)</b>  |  |
| · <b>ADR, ADN, IMDG, IATA</b>  |  |
| · <b>Class</b>   | Void   |
| · <b>Packing group</b>   |  |
| · <b>ADR, IMDG, IATA</b>   | Void   |
| · <b>Environmental hazards:</b>  |  |
| · <b>Marine pollutant:</b>   | No   |
| · <b>Special precautions for user</b>  | Not applicable.                                      |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>                                       | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>  | -  |

### 15 Regulatory information

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

**Trade name: PALL-X EXTREME Comp. A**

(Contd. of page 5)

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

R36/38 Irritating to eyes and skin.

· **Recommended restriction of use** For professional use only.

· **Department issuing MSDS:** Product safety department

**· Contact:**

Dr. M. Zieger, phone +49 (0)731 4097 207

E-Mail: msds.info@uzin-utz.com

**· Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** PALL-X EXTREME Comp. B
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**  
 SU19 Building and construction work  
 SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
 For professional use only.
- **Product category** PC9a Coatings and paints, thinners, paint removers
- **Application of the substance / the preparation**  
 Water-based 1- and 2-component wood flooring laquer (component B)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 JP Coatings GmbH  
 Im Kreuz 6  
 D-97076 Würzburg  
 Tel. +49 (0)931-27964-0  
 Fax +49 (0)931-27964-50
- **Further information obtainable from:**  
 Products Development Lab  
 E-Mail: msds.info@uzin-utz.com
- **Emergency telephone number:**  
 Medical emergencies: +49 30 30 686 790  
 Transportation emergencies: +49 621 60 43 333

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Sensitising

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives.

- **Code letter and hazard designation of product:**

Xi Irritant

- **Hazard-determining components of labelling:**

hydrophilic aliphatic polyisocyanate  
 1,6-Hexamethylene diisocyanate homopolymer  
 hydrophilic aliphatic polyisocyanate

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

**Trade name: PALL-X EXTREME Comp. B**

(Contd. of page 1)

Hexane,1,6-diisocyanato- , homopolymer

**· Risk phrases:**

43 May cause sensitisation by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**· Safety phrases:**

2 Keep out of the reach of children.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

27/28 After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

37/39 Wear suitable gloves and eye/face protection.

46 If swallowed, seek medical advice immediately and show this container or label.

**· Special labelling of certain preparations:**

Contains isocyanates. See information supplied by the manufacturer

**· Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

### 3 Composition/information on ingredients

**· Chemical characterization: Mixtures****· Description:** Mixture of substances listed below with nonhazardous additions.**· Dangerous components:**

	hydrophilic aliphatic polyisocyanate ☒ Xi R43 R52/53 ⚠ Skin Sens. 1, H317; Aquatic Chronic 3, H412	25-50%
28182-81-2	1,6-Hexamethylene diisocyanate homopolymer ☒ Xn R20; ☒ Xi R37; ☒ Xi R43 ⚠ Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	10 - <25%
	hydrophilic aliphatic polyisocyanate ☒ Xi R43 ⚠ Skin Sens. 1, H317	10 - <25%
160994-68-3	Hexane,1,6-diisocyanato- , homopolymer ☒ Xi R43 R52/53 ⚠ Skin Sens. 1, H317; Aquatic Chronic 3, H412	10 - <25%

**· Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

**· Description of first aid measures****· General information:** Immediately remove any clothing soiled by the product.**· After inhalation:** Supply fresh air; consult doctor in case of complaints.**· After skin contact:** Immediately wash with water and soap and rinse thoroughly.**· After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**· After swallowing:** Do not induce vomiting; call for medical help immediately.**· Information for doctor:****· Most important symptoms and effects, both acute and delayed**

Allergic reactions

Asthma attacks

(Contd. on page 3)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

**Trade name: PALL-X EXTREME Comp. B**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub> powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Immediately remove all soiled and contaminated clothing  
Avoid contact with the eyes and skin.  
Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.  
Wash hands before breaks and at the end of work.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

**Trade name: PALL-X EXTREME Comp. B**

(Contd. of page 3)

*Keep away from foodstuffs, beverages and feed.**Avoid contact with the eyes and skin.**Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.**Wash hands before breaks and at the end of work.*· **Respiratory protection:** Not required.· **Protection of hands:**

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.5$  mm· **Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*· **Eye protection:** Safety glasses

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Light yellow
<b>Odour:</b>	Weak, characteristic
<b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.· **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.

· **Flash point:** 66°C· **Ignition temperature:** 465°C· **Decomposition temperature:** Not determined.· **Self-igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

· **Vapour pressure:** Not determined.

<b>Density at 20°C:</b>	1.09 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

Trade name: **PALL-X EXTREME Comp. B**

(Contd. of page 4)

- |                            |  |
|----------------------------|--|
| · <b>Viscosity:</b>        |  |
| <b>Dynamic:</b>            | Not determined.                            |
| <b>Kinematic at 20°C:</b>  | 45 s (DIN 53211/4)                         |
| · <b>Other information</b> | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**  
May produce violent reactions with bases and numerous organic substances including alcohols and amines. The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Uncontrolled exothermic reactions occur with amines and alcohols.
- **Hazardous decomposition products:**  
In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
**Irritant**  
Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Harmful to aquatic organisms  
Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 6)

-GB-

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

**Trade name: PALL-X EXTREME Comp. B**

(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation**  
The product contains materials that are harmful to the environment.  
Do not allow product to reach ground water, water course or sewage system.  
Absorb smaller quantities with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust), allow to harden, then dispose of as construction waste.  
Dispose of bigger amounts in accordance with Local Authority requirements.
- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**14 Transport information**

- |  |  |
|--|--|
| · <b>UN-Number</b>   |  |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void   |
| · <b>UN proper shipping name</b>   |  |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void   |
| · <b>Transport hazard class(es)</b>  |  |
| · <b>ADR, ADN, IMDG, IATA</b>  |  |
| · <b>Class</b>   | Void   |
| · <b>Packing group</b>   |  |
| · <b>ADR, IMDG, IATA</b>   | Void   |
| · <b>Environmental hazards:</b>  |  |
| · <b>Marine pollutant:</b>   | No   |
| · <b>Special precautions for user</b>  | Not applicable.                                      |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>                                       | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>  | -  |

**15 Regulatory information**

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H317 May cause an allergic skin reaction.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.10.2012

Version No. 1

Revision: 16.10.2012

**Trade name: PALL-X EXTREME Comp. B**

(Contd. of page 6)

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

R20 Harmful by inhalation.

R37 Irritating to respiratory system.

R43 May cause sensitisation by skin contact.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Recommended restriction of use** For professional use only.

· **Department issuing MSDS:** Product safety department

· **Contact:**

Dr. M. Zieger, phone +49 (0)731 4097 207

E-Mail: msds.info@uzin-utz.com

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GB